

B	I	N	G	O
Self-destructive	Cannot tolerate being alone	Humorless	Peculiar speech	Likely to be drawn to narcissist
Fantasy as defense mechanism	Saccadic smooth pursuit eye movements	Micropsychotic episodes	Chronic feelings of emptiness and boredom	Restricted / constricted affect
Slow-wave activity on EEGs	Covert obstructionism	FREE	Impulsivity	Inability to express anger directly
Preoccupied with rules	Lack assertiveness	Passive Aggressive Personality Disorder	Identity diffusion	May require stress interview to diagnose
Familial association with schizophrenia	Perpetual state of crisis	Feign sympathy	Superficial relationships	Grandiose

B	I	N	G	O
Slow-wave activity on EEGs	Superficial relationships	Chronic feelings of emptiness and boredom	Lack assertiveness	Fantasy as defense mechanism
Peculiar speech	Inability to express anger directly	Humorless	May require stress interview to diagnose	Covert obstructionism
Impulsivity	Cannot tolerate being alone	FREE	Identity diffusion	Passive Aggressive Personality Disorder
Grandiose	Self-destructive	Feign sympathy	Preoccupied with rules	Familial association with schizophrenia
Likely to be drawn to narcissist	Impressed with power / rank	Restricted / constricted affect	Micropsychotic episodes	Saccadic smooth pursuit eye movements

B	I	N	G	O
Preoccupied with rules	Identity diffusion	Slow-wave activity on EEGs	Grandiose	Peculiar speech
Perpetual state of crisis	Restricted / constricted affect	Superficial relationships	Lack assertiveness	Covert obstructionism
Passive Aggressive Personality Disorder	Chronic feelings of emptiness and boredom	FREE	Impulsivity	Humorless
Impressed with power / rank	Likely to be drawn to narcissist	Familial association with schizophrenia	Cannot tolerate being alone	Self-destructive
Saccadic smooth pursuit eye movements	Micropsychotic episodes	Inability to express anger directly	May require stress interview to diagnose	Feign sympathy