

W	O	U	N	D
Wound Management Plan	Age/diabetes	Measurements	Stage 3 - extends to subcutaneous tissue	Pressure injury
Fever	Tender	Soap & Water	Clean	Swelling
dress every 3-5 days	Drainage	Nutrition	Pain	Swab
Poor healing	Stage 2 - extends to epidermis & dermis	Non-sterile gloves	Redness	Elevate limb
Stage 4 - extends to muscle & bone	Gauze	non-adhesive dressing	Hot	Normal saline

W	O	U	N	D
dress every 3-5 days	Drainage	Swelling	Clean	Elevate limb
Hot	Swab	Nutrition	Pressure injury	Stage 2 - extends to epidermis & dermis
Fever	Measurements	Soap &Water	Redness	Wound Management Plan
Poor healing	Gauze	Tender	Non-sterile gloves	Stage 3 - extends to subcutaneous tissue
Stage 4 - extends to muscle & bone	non-adhesive dressing	Normal saline	Age/diabetes	Pain

W	O	U	N	D
Swab	Redness	Gauze	Hot	Non-sterile gloves
Elevate limb	Normal saline	Fever	Nutrition	Wound Management Plan
Poor healing	Stage 4 - extends to muscle & bone	Soap & Water	Drainage	Tender
dress every 3-5 days	Stage 2 - extends to epidermis & dermis	non-adhesive dressing	Clean	Age/diabetes
Pain	Swelling	Stage 3 - extends to subcutaneous tissue	Measurements	Pressure injury