

B	I	N	G	O
Self-destructive	Cannot tolerate being alone	Humorless	Peculiar speech	Likely to be drawn to narcissist
Fantasy as defense mechanism	Saccadic smooth pursuit eye movements	Micropsychotic episodes	Chronic feelings of emptiness and boredom	Restricted / constricted affect
Slow-wave activity on EEGs	Covert obstructionism	Impulsivity	Inability to express anger directly	Preoccupied with rules
Lack assertiveness	Passive Aggressive Personality Disorder	Identity diffusion	May require stress interview to diagnose	Familial association with schizophrenia
Perpetual state of crisis	Feign sympathy	Superficial relationships	Grandiose	Impressed with power / rank

B	I	N	G	O
Slow-wave activity on EEGs	Covert obstructionism	Restricted / constricted affect	Chronic feelings of emptiness and boredom	Familial association with schizophrenia
Grandiose	Preoccupied with rules	Impulsivity	Likely to be drawn to narcissist	Passive Aggressive Personality Disorder
Fantasy as defense mechanism	Humorless	Micropsychotic episodes	May require stress interview to diagnose	Self-destructive
Lack assertiveness	Feign sympathy	Saccadic smooth pursuit eye movements	Identity diffusion	Peculiar speech
Perpetual state of crisis	Superficial relationships	Impressed with power / rank	Cannot tolerate being alone	Inability to express anger directly

B	I	N	G	O
Preoccupied with rules	May require stress interview to diagnose	Feign sympathy	Grandiose	Identity diffusion
Familial association with schizophrenia	Impressed with power / rank	Fantasy as defense mechanism	Impulsivity	Self-destructive
Lack assertiveness	Perpetual state of crisis	Micropsychotic episodes	Covert obstructionism	Saccadic smooth pursuit eye movements
Slow-wave activity on EEGs	Passive Aggressive Personality Disorder	Superficial relationships	Chronic feelings of emptiness and boredom	Cannot tolerate being alone
Inability to express anger directly	Restricted / constricted affect	Peculiar speech	Humorless	Likely to be drawn to narcissist