

CNA

ad lib: as desired	AP: apical pulse	ADLs: activities of daily living	FBS: Fasting Blood Sugar	SDS: safety data sheet
OBRA: Omnibus Budget Reconciliation Act	CVA: cerebrovascular accident stroke	WNL: within normal limits	PROM: passive range of motion	BID: b.i.d. two times a day
ROM: range of motion	URI: Upper respiratory infection	FREE	S: without	c: with
BRP: bathroom privileges	PO: by mouth	Hyper: above normal too fast rapid	CPR: cardiopulmonary resuscitation	MDS: minimum data set
TIA : transient ischemic attack	MRSA: methicillin-resistant Staphylococcus aureus	QD = every day	U/A: urinalysis	NKDA: no known drug allergies

CNA

Tx: treatment	ROM: range of motion	HOH :hard of hearing	URI: Upper respiratory infection	Hyper: above normal too fast rapid
HIPAA: Health Insurance Portability and Accountability Act	P.A.S.S. = Pull Aim Squeeze Sweep	MDS: minimum data set	H2O: water	C. diff: Clostridium difficile
CHF: congestive heart failure	PNS: peripheral nervous system	FREE	OOB: out of bed	NPO: nothing by mouth
BP: blood pressure	CDC: Centers for Disease Control and Prevention	SOB: shortness of breath	Hx: history	BRP: bathroom privileges
I&O intake and output	WNL: within normal limits	BID: b.i.d. two times a day	c: with	VRE: vancomycin-resistant Enterococcus

CNA

AROM : active range of motion	PO: by mouth	SDS: safety data sheet	OSHA: Occupational Safety and Health Administration	BPM: beats per minute
Hypo: low less than normal	PNS: peripheral nervous system	UTI: urinary tract infection	MI: myocardial infarction	OOB: out of bed
CVA: cerebrovascular accident stroke	FBS: Fasting Blood Sugar	FREE	Prn: when necessary	fx : fracture
STAT: immediately	ROM: range of motion	PVD: peripheral vascular disease	TPR: Temperature Pulse & Respirations	C. diff: Clostridium difficile
CNS: central nervous system	QD = every day	P: after	AP: apical pulse	Hx: history