

B	I	N	G	O
Renal calculi	0.45% normal saline	7.35-7.45	Hyponatremia	Diuretics
3.5-5.5 mEq	Myocardial infarction	Hyperkalemia	0.9% Normal Saline	Hypokalemia
Kayexalate	Seizure precautions	FREE	135-145 mEq	Crackles
Daily weight	Intracellular fluid	Dehydration	Chvostek sign	Fluid volume deficit
8.5-10.5 mg/dL	3% NS	Hypocalcemia	Trousseau Sign	30mL/hr

B	I	N	G	O
Seizure precautions	0.9% Normal Saline	Hyponatremia	3.5-5.5 mEq	Hyperkalemia
7.35-7.45	Trousseau Sign	Diuretics	3% NS	Hypokalemia
Daily weight	135-145 mEq	FREE	Crackles	0.45% normal saline
Chvostek sign	Hypocalcemia	Renal calculi	30mL/hr	Intracellular fluid
Dehydration	Fluid volume deficit	Kayexalate	Myocardial infarction	8.5-10.5 mg/dL

B	I	N	G	O
3% NS	Hypocalcemia	0.9% Normal Saline	Fluid volume deficit	135-145 mEq
Renal calculi	Daily weight	Dehydration	Myocardial infarction	Diuretics
Kayexalate	30mL/hr	FREE	Intracellular fluid	Chvostek sign
Seizure precautions	Hypokalemia	Hyponatremia	Trousseau Sign	7.35-7.45
Crackles	0.45% normal saline	Hyperkalemia	3.5-5.5 mEq	8.5-10.5 mg/dL