

|                         |              |               |                    |                       |
|-------------------------|--------------|---------------|--------------------|-----------------------|
| <b>B</b>                | <b>I</b>     | <b>N</b>      | <b>G</b>           | <b>O</b>              |
| 6-8 weeks of training   | Graft        | Phosphorus    | At Home Treatments | Nx2me                 |
| Lab Draws               | Nurse        | Social Worker | Pureflow           | Kidney                |
| Monitor Blood pressures | Nephrologist | <b>FREE</b>   | Nxstage            | 4-5 days of treatment |
| Diet                    | Fluid        | Cycler        | Flexibility        | Venous Needles        |
| Fistula                 | Dry Weight   | Protein       | Vitamin D          | Arterial Needle       |

|                               |               |                  |                       |                             |
|-------------------------------|---------------|------------------|-----------------------|-----------------------------|
| <b>B</b>                      | <b>I</b>      | <b>N</b>         | <b>G</b>              | <b>O</b>                    |
| Fistula                       | Nurse         | Social<br>Worker | Nxstage               | Nx2me                       |
| Diet                          | Nephrologist  | Phosphorus       | Pureflow              | Venous<br>Needles           |
| Monitor<br>Blood<br>pressures | Fluid         | <b>FREE</b>      | Flexibility           | Kidney                      |
| Lab<br>Draws                  | Graft         | Protein          | At Home<br>Treatments | 4-5 days<br>of<br>treatment |
| 6-8<br>weeks of<br>training   | Dry<br>Weight | Potassium        | Vitamin<br>D          | Arterial<br>Needle          |

|                               |               |                  |                       |                             |
|-------------------------------|---------------|------------------|-----------------------|-----------------------------|
| <b>B</b>                      | <b>I</b>      | <b>N</b>         | <b>G</b>              | <b>O</b>                    |
| Monitor<br>Blood<br>pressures | Graft         | Cycler           | At Home<br>Treatments | 4-5 days<br>of<br>treatment |
| Diet                          | Nurse         | Potassium        | Vitamin<br>D          | Venous<br>Needles           |
| 6-8<br>weeks of<br>training   | Nephrologist  | <b>FREE</b>      | Pureflow              | Arterial<br>Needle          |
| Fistula                       | Fluid         | Phosphorus       | Flexibility           | Nx2me                       |
| Lab<br>Draws                  | Dry<br>Weight | Social<br>Worker | Nxstage               | Kidney                      |