

B	I	N	G	O
Use your bedroom only for sleep. Work eat and watch TV in another room.	'Sleep hygiene' is the term used to describe good sleep habits.	Establish a regular relaxing bedtime routine.	Set the alarm and turn the clock around so that you can not see the time.	Lay in bed only for
Avoid smoking within 2 hours of bedtime.	There are many medications which are used to treat insomnia but these tend to be only effective in the short-term.	Relaxing rituals prior to bedtime may include a warm bath aroma therapy reading or listening to soothing music.	After about 15 minutes of not being able to get to sleep go to another room.	The longest period someone went without sleep was almost 19 days during a rocking chair marathon.
You may be slumbering but your brain never stops working.	Avoid Caffeine within 6 hours before bedtime.	FREE	Go to bed around 10 or 11 PM to avoid 'second wind syndrome'	In sleep apnea your breathing stops or gets very shallow while you are sleeping.
Sleep on a comfortable mattress and pillows.	Insomnia is a significant lack of high-quality sleep. It can be short-term or chronic.	Restless legs syndrome (RLS) is a sensory disorder causing an almost irresistible urge to move the legs.	Exercise regularly finish a few hours before bedtime.	Maintain a regular bedtime and awakening time schedule even on weekends.
Avoid naps.	Sleep in a room that is dark quite comfortable and cool.	Designate another time to write down problems and possible solutions that is not close to bedtime.	sleeping not for work or watching TV.	Elephants sleep standing up.

B	I	N	G	O
You may be slumbering but your brain never stops working.	sleeping not for work or watching TV.	After about 15 minutes of not being able to get to sleep to to another room.	Insomnia is a significant lack of high-quality sleep. It can be short-term or chronic.	Avoid smoking with in 2 hours of bedtime.
Set the alarm and turn the clock around so that you can not see the time.	In sleep apnea your breathing stops or gets very shallow while you are sleeping.	Establis a regular relaxine bedtime routine.	Maintaind a regular bedtime and awakening time schedule even on weekends.	Avoid Caffeine with in 6 hours before bedtime.
Go to bed around 10 or 11 PM to avoid 'second wind syndrome'	'Sleep hygiene' is the term used to describe good sleep habits.	FREE	Exercise regularly finish a few hours before bedtime.	Restless legs syndrome (RLS) is a sensory disorder causing an almost irresistible urge to move the legs.
Elephants sleep standing up.	Use your bedroom only for sleep. Work eat and watch TV in another room.	Designate another time to write down problems and pssible solutions that is not close to bedtime.	Sleep on a comftrable mattress and pillows.	Avoid naps.
Lay in bed only for	Finish eating at least 2-3 hours prior to your regular bedtime.	The longest period some one went with out sleep was almost 19 days during a rocking chair marathon.	Relaxing rituals prior to bedtime may include a warm bath aroma therapy reading or listing to soothing music.	There are many medications which are used to treat insomnia but these tend to be only effective in the short-term.

B	I	N	G	O
Sleep on a comfortable mattress and pillows.	Exercise regularly finish a few hours before bedtime.	You may be slumbering but your brain never stops working.	Elephants sleep standing up.	Set the alarm and turn the clock around so that you can not see the time.
Sleep in a room that is dark quite comfortable and cool.	The longest period some one went with out sleep was almost 19 days during a rocking chair marathon.	sleeping not for work or watching TV.	Insomnia is a significant lack of high-quality sleep. It can be short-term or chronic.	Avoid Caffeine with in 6 hours before bedtime.
Restless legs syndrome (RLS) is a sensory disorder causing an almost irresistible urge to move the legs.	After about 15 minutes of not being able to get to sleep to to another room.	FREE	Go to bed around 10 or 11 PM to avoid 'second wind syndrome'	Establis a regular relaxine bedtime routine.
Finish eating at least 2-3 hours prior to your regular bedtime.	Lay in bed only for	Avoid naps.	'Sleep hygiene' is the term used to describe good sleep habits.	Use your bedroom only for sleep. Work eat and watch TV in another room.
There are many medications which are used to treat insomnia but these tend to be only effective in the short-term.	Relaxing rituals prior to bedtime may include a warm bath aroma therapy reading or listing to soothing music.	In sleep apnea your breathing stops or gets very shallow while you are sleeping.	Maintained a regular bedtime and awakening time schedule even on weekends.	Designate another time to write down problems and pssible solutions that is not close to bedtime.