

B	I	N	G	O
1-12/12	12-12/6	(1-12)/12	Free	Free
$5(x-4)=7x-2(x-1)$	5 9	x^2 $3x-10=0$	$x^2=-9$	$(5)(2)-(2)(3)=$
$3(x-1)=15$	$5^0=$	FREE	$5/3-3/5=$	$25^{(1/2)}=$
$5/0=$	$8-3x=-3(x-2)$ 2	$x^2=16$	$\text{sqrt}(36)=$	$(7-3*2)/(4-5*-1)=$
$-3x-4=2x-9$	(12-12)/6	$5/0=$	$3/5-5/3=$	$5[2-2(3)]=$

B	I	N	G	O
$-3x^4 = 2x^9$	5^9	x^2 $3x - 10 = 0$	$5/3 - 3/5 =$	Free
$5/0 =$	$5^0 =$	$(1 - 12)/12$	$x^2 = -9$	$(7 - 3 \cdot 2)/(4 \cdot 5 - 1) =$
$3(x - 1) = 15$	$8 - 3x = -3(x - 2)$ 2	FREE	$\sqrt{36} =$	$(5)(2) - (2)(3) =$
$5(x^4) = 7x - 2(x - 1)$	$12 - 12/6$	$5/0 =$	Free	$25^{(1/2)} =$
$1 - 12/12$	$(12 - 12)/6$	$-3x$ $7 = -3(x - 4)$	$3/5 \cdot 5/3 =$	$5[2 - 2(3)] =$

B	I	N	G	O
$3(x-1)=15$	$12-12/6$	$x^2=16$	Free	$25^{(1/2)}=$
$5/0=$	$5 \ 9$	$\begin{array}{l} -3x \\ 7=-3(x-4) \end{array}$	$3/5 \ 5/3=$	$\begin{array}{l} (7-3*2)/(4 \\ 5*-1)= \end{array}$
$1-12/12$	$5^0=$	FREE	$x^2=-9$	$\begin{array}{l} 5[2-2(3)] \\ = \end{array}$
$\begin{array}{l} -3x \ 4=2x \\ 9 \end{array}$	$\begin{array}{l} 8-3x=-3(x-2) \\ 2 \end{array}$	$(1-12)/12$	$\begin{array}{l} \text{sqrt}(36) \\ = \end{array}$	Free
$\begin{array}{l} 5(x \\ 4)=7x-2(x-1) \end{array}$	$(12-12)/6$	$\begin{array}{l} x^2 \\ 3x-10=0 \end{array}$	$5/3-3/5=$	$\begin{array}{l} (5)(2)-(2)(3) \\ = \end{array}$