

B	I	N	G	O
prevention	12.0 and above/4.0 and below	Negative qualifiers	blood culture	UTI
Code sepsis	give within 15 mins	above 20	2 BP's	antibiotics
early recognition fast TX	suspected /documented	Physician Order	30ml/kg bolus	Septic Shock
Severe Sepsis	broad spectrum	Sign & Symptoms of Sepsis Organ Dysfunction	Sepsis	above 100.4 or below 96.8
SIRS	Activate Alert! Hosp.Policy	above 90	vasopressors	Delay in TX

B	I	N	G	O
suspected /documented	2 BP's	blood culture	Code sepsis	above 20
Negative qualifiers	vasopressors	UTI	Activate Alert! Hosp.Policy	antibiotics
Severe Sepsis	30ml/kg bolus	Physician Order	Septic Shock	12.0 and above/4.0 and below
Sepsis	above 90	prevention	Delay in TX	broad spectrum
Sign & Symptoms of Sepsis Organ Dysfunction	above 100.4 or below 96.8	early recognition fast TX	give within 15 mins	SIRS

B	I	N	G	O
Activate Alert! Hosp.Policy	above 90	2 BP's	above 100.4 or below 96.8	30ml/kg bolus
prevention	Severe Sepsis	Sign & Symptoms of Sepsis Organ Dysfunction	give within 15 mins	UTI
early recognition fast TX	Delay in TX	Physician Order	broad spectrum	Sepsis
suspected /documented	antibiotics	blood culture	vasopressors	Negative qualifiers
Septic Shock	12.0 and above/4.0 and below	above 20	Code sepsis	SIRS