

B	I	N	G	O
prevention	2 BP's	Sepsis order set	blood culture	UTI
SIRS	give within 15 mins	above 20	30ml/kg bolus	antibiotics
early recognition fast TX	suspected /documented	Physician Order	Code sepsis	Sign & Symptoms of Sepsis Organ Dysfunction
Timed sepsis focus exam	broad spectrum	Timestamp documentation	Severe Sepsis	above 100.4 or below 96.8
Septic Shock	Greater than 12.0 and less than 4.0	above 90	vasopressors	Sepsis

B	I	N	G	O
suspected /documented	30ml/kg bolus	blood culture	SIRS	above 20
Sepsis order set	vasopressors	UTI	Greater than 12.0 and less than 4.0	antibiotics
Timed sepsis focus exam	Code sepsis	Physician Order	Sign & Symptoms of Sepsis Organ Dysfunction	2 BP's
Severe Sepsis	above 90	prevention	Sepsis	broad spectrum
Timestamp documentation	above 100.4 or below 96.8	early recognition fast TX	give within 15 mins	Septic Shock

B	I	N	G	O
Greater than 12.0 and less than 4.0	above 90	30ml/kg bolus	above 100.4 or below 96.8	Code sepsis
prevention	Timed sepsis focus exam	Timestamp documentation	give within 15 mins	UTI
early recognition fast TX	Sepsis	Physician Order	broad spectrum	Severe Sepsis
suspected /documented	antibiotics	blood culture	vasopressors	Sepsis order set
Sign & Symptoms of Sepsis Organ Dysfunction	2 BP's	above 20	SIRS	Septic Shock