

| B          | I               | N           | G       | O       |
|------------|-----------------|-------------|---------|---------|
| Vent       | Bio<br>Security | Bantam      | Crop    | Saddle  |
| Incubation | Coccidiosis     | Variety     | Plumage | Breed   |
| Rooster    | Spurs           | <b>FREE</b> | Wattles | Brooder |
| Gosling    | Hackle          | Secondaries | Hock    | Pullet  |
| Eggs       | Duckling        | Mites       | Class   | Molt    |

|            |                    |             |          |             |
|------------|--------------------|-------------|----------|-------------|
| <b>B</b>   | <b>I</b>           | <b>N</b>    | <b>G</b> | <b>O</b>    |
| Incubation | Hock               | Breed       | Tom      | Chick       |
| Saddle     | Gosling            | Brooder     | Hackle   | Variety     |
| Wattles    | Bio<br>Security    | <b>FREE</b> | Plumage  | Mites       |
| Molt       | Hen                | Cockerel    | Crop     | Primaries   |
| Rooster    | Sickle<br>Feathers | Class       | Pullet   | Coccidiosis |

|          |          |             |                 |            |
|----------|----------|-------------|-----------------|------------|
| <b>B</b> | <b>I</b> | <b>N</b>    | <b>G</b>        | <b>O</b>   |
| Pullet   | Mites    | Molt        | Bio<br>Security | Gosling    |
| Bantam   | Hock     | Coccidiosis | Vent            | Chick      |
| Wry Tail | Wing     | <b>FREE</b> | Cockerel        | Breed      |
| Saddle   | Plumage  | Condition   | Wattles         | Incubation |
| Class    | Rooster  | Hackle      | Crop            | Brooder    |