

Spiral	Airborne	Aerobic 30C	Cefotaxime	Long-Term Vaccination
IgA	Capnophilic 35C	Recovery Phase	Illness Phase	All of the Above
Ingestion	Rats	Vancomycin	Anaerobic 35C	IgM
Electrophoresis	Both A and C	Gram Negative Bacilli	Penicillin G	Gram Stain
Immune Phase	Pigs	Dogs	Direct Contact	IgD

Gram Negative Bacilli	DFA	Annual Vaccination	Avoiding Contaminated Water	IgG
IgA	Gram Stain	All of the Above	Rats	PCR
Electrophoresis	Anaerobic 35C	Septicemic Phase	Vancomycin	Recovery Phase
Airborne	IgM	Long-Term Vaccination	IgD	Capnophilic 35C
Cefotaxime	Immune Phase	Ingestion	Illness Phase	Penicillin G

Anaerobic 35C	Avoiding Contaminated Water	Immune Phase	IgA	Capnophilic 35C
Ingestion	IgG	Airborne	Electrophoresis	Aerobic 30C
Gram Stain	Spiral	Annual Vaccination	Wet Mount with Light Microscopy	Wet Mount with Dark Field Microscopy
Long-Term Vaccination	IgM	Cefazolin	Vancomycin	All of the Above
Gram Negative Bacilli	Cefotaxime	Direct Contact	Both A and C	Septicemic Phase