

|                        |                                         |                             |                     |                      |
|------------------------|-----------------------------------------|-----------------------------|---------------------|----------------------|
| <b>B</b>               | <b>I</b>                                | <b>N</b>                    | <b>G</b>            | <b>O</b>             |
| Respiratory Depression | Antibiotic                              | Full liquid diet            | Murphy's Sign       | Lasix                |
| Cholecystitis          | Pepcid                                  | Lortab                      | Bilirubin           | Pain                 |
| Stool Softener         | Black tary stools light colored stools. | <b>FREE</b>                 | H2-Receptor Agonist | Incentive Spirometer |
| Opioid pain reliever   | Laparoscopic Cholecysectomy             | Low Fat and non-spicy foods | GI Bleeding         | Laxative             |
| Cholecystectomy        | Open Cholecysectomy                     | Colace                      | TPN                 | Enzymes and bile     |

|                     |                        |                  |                              |                                         |
|---------------------|------------------------|------------------|------------------------------|-----------------------------------------|
| <b>B</b>            | <b>I</b>               | <b>N</b>         | <b>G</b>                     | <b>O</b>                                |
| Stool Softener      | TPN                    | Bilirubin        | Laparoscopic Cholecystectomy | Cholecystitis                           |
| Murphy's Sign       | Incentive Spirometer   | Full liquid diet | Laxative                     | Black tary stools light colored stools. |
| H2-Receptor Agonist | Antibiotic             | <b>FREE</b>      | GI Bleeding                  | Low Fat and non-spicy foods             |
| Enzymes and bile    | Respiratory Depression | Colace           | Opioid pain reliever         | Cholecystectomy                         |
| Lasix               | GI Effects; Diarrhea   | Pain             | Lortab                       | Pepcid                                  |

|                                      |                |                         |                                |                                                  |
|--------------------------------------|----------------|-------------------------|--------------------------------|--------------------------------------------------|
| <b>B</b>                             | <b>I</b>       | <b>N</b>                | <b>G</b>                       | <b>O</b>                                         |
| Opioid<br>pain<br>reliever           | GI<br>Bleeding | Stool<br>Softener       | Enzymes<br>and bile            | Murphy's<br>Sign                                 |
| Open<br>Cholecysectomy               | Pain           | TPN                     | Laparoscopic<br>Cholecysectomy | Black tary<br>stools light<br>colored<br>stools. |
| Low Fat<br>and<br>non-spicy<br>foods | Bilirubin      | <b>FREE</b>             | H2-<br>Receptor<br>Agonist     | Full<br>liquid<br>diet                           |
| GI<br>Effects;<br>Diarrhea           | Lasix          | Cholecystectomy         | Antibiotic                     | Respiratory<br>Depression                        |
| Pepcid                               | Lortab         | Incentive<br>Spirometer | Laxative                       | Colace                                           |