

B	I	N	G	O
unresponsive but breathing	1 full second	Blood borne pathogen	Victim	No longer than 4 days
Apply compression	maintain & protect the airway	Present position puts them in danger	2 hands	implied consent
victim on back feet/leg elevated 8-12"	2 inches	FREE	Emergency Medical Services	Heavy sweating thirst&fast heart rate
at least 20 seconds	Hep B(HBV) Hep C(HCV) HIV	Restore normal heart rhythm	Circulation airway breathing	Nothing
30:2	ask if they choking	Automated external defibrillator	wash wound with soap & water	Basic life support

B	I	N	G	O
victim on back feet/leg elevated 8-12"	wash wound with soap & water	2 hands	Hep B(HBV) Hep C(HCV) HIV	Apply compression
Victim	Heavy sweating thirst&fast heart rate	Blood borne pathogen	Nothing	2 inches
Emergency Medical Services	1 full second	FREE	Circulation airway breathing	Restore normal heart rhythm
Basic life support	unresponsive but breathing	Automated external defibrillator	at least 20 seconds	30:2
No longer than 4 days	Consent	implied consent	Present position puts them in danger	maintain & protect the airway

B	I	N	G	O
at least 20 seconds	Circulation airway breathing	victim on back feet/leg elevated 8-12"	Basic life support	Victim
ask if they choking	implied consent	wash wound with soap & water	Hep B(HBV) Hep C(HCV) HIV	2 inches
Restore normal heart rhythm	2 hands	FREE	Emergency Medical Services	Blood borne pathogen
Consent	No longer than 4 days	30:2	1 full second	unresponsive but breathing
maintain & protect the airway	Present position puts them in danger	Heavy sweating thirst&fast heart rate	Nothing	Automated external defibrillator