

|                              |                                |                       |                    |                                        |
|------------------------------|--------------------------------|-----------------------|--------------------|----------------------------------------|
| <b>B</b>                     | <b>I</b>                       | <b>N</b>              | <b>G</b>           | <b>O</b>                               |
| Protein                      | 10 mEq<br>IV push              | Cyclosporine          | Oliguric<br>phase  | Initiation<br>Phase                    |
| Confusion<br>and<br>weakness | Prednisone<br>and<br>Cortisone | Isotonic              | 10-20<br>mg/dL     | Pre-Renal<br>Acute<br>Renal<br>Failure |
| Spironolactone               | >30<br>ml/hr                   | Hypertonic            | Hypophosphatemia   | Potassium                              |
| Hypotonic                    | NSAIDs<br>and<br>aspirin       | Grey-Turner's<br>Sign | Inverted<br>T wave | Anemia                                 |
| PVCs                         | Crackles                       | Trousseau's<br>Sign   | Cullen's<br>sign   | Hypertension                           |

| <b>B</b>                     | <b>I</b>            | <b>N</b>                               | <b>G</b>              | <b>O</b>                 |
|------------------------------|---------------------|----------------------------------------|-----------------------|--------------------------|
| Spironolactone               | >30<br>ml/hr        | Pre-Renal<br>Acute<br>Renal<br>Failure | 10-20<br>mg/dL        | Anemia                   |
| Cullen's<br>sign             | Potassium           | Hypertonic                             | Initiation<br>Phase   | NSAIDs<br>and<br>aspirin |
| Confusion<br>and<br>weakness | Cyclosporine        | Isotonic                               | Inverted<br>T wave    | Protein                  |
| Hypotonic                    | Crackles            | Prednisone<br>and<br>Cortisone         | Grey-Turner's<br>Sign | Oliguric<br>phase        |
| PVCs                         | Trousseau's<br>Sign | Hypertension                           | 10 mEq<br>IV push     | Hypophosphatemia         |

|                  |                                        |                              |                  |                                |
|------------------|----------------------------------------|------------------------------|------------------|--------------------------------|
| <b>B</b>         | <b>I</b>                               | <b>N</b>                     | <b>G</b>         | <b>O</b>                       |
| Potassium        | Inverted<br>T wave                     | Crackles                     | Cullen's<br>sign | Grey-Turner's<br>Sign          |
| Anemia           | Hypertension                           | Confusion<br>and<br>weakness | Hypertonic       | Protein                        |
| Hypotonic        | PVCs                                   | Isotonic                     | >30<br>ml/hr     | Prednisone<br>and<br>Cortisone |
| Spironolactone   | NSAIDs<br>and<br>aspirin               | Trousseau's<br>Sign          | 10-20<br>mg/dL   | 10 mEq<br>IV push              |
| Hypophosphatemia | Pre-Renal<br>Acute<br>Renal<br>Failure | Oliguric<br>phase            | Cyclosporine     | Initiation<br>Phase            |