

B	I	N	G	O
Spironolactone	10 mEq IV push	Cullen's sign	Peritonitis	Initiation Phase
Crackles	Protein	Inverted T wave	10-20 mg/dL	PVCs
Protamine Sulfate	Stage II Renal Cancer	>30 ml/hr	Hypertension	Confusion and weakness
Hypophosphatemia	Potassium	Hypotonic	Prednisone and Cortisone	Grey-Turner's Sign
Initiation Phase	Cyclosporine	Anemia	NSAIDs and aspirin	Heparin

B	I	N	G	O
10 mEq IV push	Hypotonic	Crackles	Initiation Phase	Spironolactone
Anemia	Trousseau's Sign	Stage II Renal Cancer	>30 ml/hr	Peritonitis
Inverted T wave	Cullen's sign	10-20 mg/dL	Confusion and weakness	Hypertension
Hypophosphatemia	Heparin	Grey-Turner's Sign	PVCs	NSAIDs and aspirin
Protein	Prednisone and Cortisone	Protamine Sulfate	Initiation Phase	Cyclosporine

B	I	N	G	O
Anemia	NSAIDs and aspirin	10-20 mg/dL	Initiation Phase	>30 ml/hr
Protein	Spironolactone	Hypertension	Hypotonic	Protamine Sulfate
Prednisone and Cortisone	Crackles	Grey-Turner's Sign	Stage II Renal Cancer	Creatinine
PVCs	Peritonitis	Trousseau's Sign	Potassium	Cullen's sign
Heparin	Initiation Phase	Confusion and weakness	10 mEq IV push	Inverted T wave