

B	I	N	G	O
Spironolactone	10 mEq IV push	Cyclosporine	Peritonitis	Initiation Phase
Crackles	Protein	NSAIDs and aspirin	10-20 mg/dL	Protamine Sulfate
Stage II Renal Cancer	>30 ml/hr	Hypertension	Hypophosphatemia	Prednisone and Cortisone
Hypotonic	PVCs	Grey-Turner's Sign	Inverted T wave	Confusion and weakness
Potassium	Creatinine	Trousseau's Sign	Cullen's sign	Heparin

B	I	N	G	O
Stage II Renal Cancer	>30 ml/hr	Protamine Sulfate	10-20 mg/dL	Confusion and weakness
Cullen's sign	Prednisone and Cortisone	Hypertension	Initiation Phase	PVCs
Crackles	Cyclosporine	NSAIDs and aspirin	Inverted T wave	Spironolactone
Hypotonic	Creatinine	Protein	Grey-Turner's Sign	Peritonitis
Potassium	Trousseau's Sign	Heparin	10 mEq IV push	Hypophosphatemia

B	I	N	G	O
Prednisone and Cortisone	Inverted T wave	Creatinine	Cullen's sign	Grey-Turner's Sign
Confusion and weakness	Heparin	Crackles	Hypertension	Spironolactone
Hypotonic	Potassium	NSAIDs and aspirin	>30 ml/hr	Protein
Stage II Renal Cancer	PVCs	Trousseau's Sign	10-20 mg/dL	10 mEq IV push
Hypophosphatemia	Protamine Sulfate	Peritonitis	Cyclosporine	Initiation Phase