

# Critical Thinking

|                                   |                                  |                               |                            |                             |
|-----------------------------------|----------------------------------|-------------------------------|----------------------------|-----------------------------|
| Tall Man<br>Numbering             | Adult<br><12 or<br>>20 RR        | Clinical<br>Judgment          | Reasoning                  | Nuts                        |
| CPR                               | Sentinel<br>Event                | Policies<br>and<br>Procedures | Anaphylaxis                | Pulse<br>Oximetry           |
| Safe<br>Delivery of<br>Medication | Triggers                         | <b>FREE</b>                   | Assumptions                | Failure<br>to<br>Rescue     |
| Ineffective<br>communication      | Right<br>Patient                 | Negligence                    | Expectation<br>or Noticing | Patient<br>Centered<br>Care |
| Dyspnea                           | Blood<br>Transfusion<br>Reaction | Professionalism               | medication<br>management   | Chain of<br>Command         |

# Critical Thinking

|                           |                       |                             |                            |                         |
|---------------------------|-----------------------|-----------------------------|----------------------------|-------------------------|
| Triggers                  | Anaphylaxis           | Reasoning                   | CPR                        | Policies and Procedures |
| Clinical Judgment         | medication management | Nuts                        | Blood Transfusion Reaction | Pulse Oximetry          |
| Ineffective communication | Assumptions           | <b>FREE</b>                 | Failure to Rescue          | Adult <12 or >20 RR     |
| Expectation or Noticing   | Professionalism       | Tall Man Numbering          | Chain of Command           | Right Patient           |
| Negligence                | Patient Centered Care | Safe Delivery of Medication | Sentinel Event             | Dyspnea                 |

# Critical Thinking

|                                   |                              |                               |                             |                            |
|-----------------------------------|------------------------------|-------------------------------|-----------------------------|----------------------------|
| Blood<br>Transfusion<br>Reaction  | Professionalism              | Anaphylaxis                   | Patient<br>Centered<br>Care | Assumptions                |
| Tall Man<br>Numbering             | Ineffective<br>communication | Negligence                    | Sentinel<br>Event           | Nuts                       |
| Safe<br>Delivery of<br>Medication | Chain of<br>Command          | <b>FREE</b>                   | Right<br>Patient            | Expectation<br>or Noticing |
| Triggers                          | Pulse<br>Oximetry            | Reasoning                     | medication<br>management    | Clinical<br>Judgment       |
| Failure<br>to<br>Rescue           | Adult<br><12 or<br>>20 RR    | Policies<br>and<br>Procedures | CPR                         | Dyspnea                    |