

# Critical Thinking

|                        |                           |                             |                              |                                     |
|------------------------|---------------------------|-----------------------------|------------------------------|-------------------------------------|
| Triggers               | Adult<br><12 or<br>>20 RR | 86-90%<br>SPOx              | Ineffective<br>communication | Right<br>Dose                       |
| Patient<br>Identifiers | Egg<br>Products           | Sound<br>Knowledge<br>Base  | Process<br>orientation       | Awareness<br>of Patient<br>and Self |
| Reflection             | Sentinel<br>Event         | <b>FREE</b>                 | Triggers                     | Clinical<br>Skills                  |
| Process<br>Orientation | Negligence                | Sesame<br>Seeds             | No use of<br>abbreviations   | Safe<br>Delivery of<br>Medication   |
| Nuts                   | Reasoning                 | Patient<br>Centered<br>Care | Safety                       | Medications                         |

# Critical Thinking

|                             |                      |                               |                         |                         |
|-----------------------------|----------------------|-------------------------------|-------------------------|-------------------------|
| Sesame Seeds                | Negligence           | Medication Management         | Policies and Procedures | No use of abbreviations |
| Interpreting and Responding | Clinical Skills      | Dairy Products                | Process Orientation     | Persistence             |
| Patient Centered Care       | Call 911             | <b>FREE</b>                   | Creativity              | Right Patient           |
| Moderate Hypoxia            | Sound Knowledge Base | Awareness of Patient and Self | Triggers                | Severe Hypoxia          |
| Allergy Assessment          | Right Dose           | Prepare for CPR               | Normal Range Pulse Ox   | Evidence-Based Practice |

# Critical Thinking

|                 |                         |                             |                           |                         |
|-----------------|-------------------------|-----------------------------|---------------------------|-------------------------|
| Interpretation  | Sesame Seeds            | Pulse Oximetry              | Twinjet                   | Right Patient           |
| Reflection      | Professionalism         | Safe Delivery of Medication | Clinical Skills           | EPI Pen                 |
| Persistence     | Evidence-Based Practice | <b>FREE</b>                 | Reasoning                 | Policies and Procedures |
| Prepare for CPR | Adult <12 or >20 RR     | Moderate Hypoxia            | 86-90% SPOx               | Patient Identifiers     |
| Egg Products    | Tall Man Numbering      | Creativity                  | Urgent/Emergent Situation | Unsafe Nursing Care     |