

B	I	N	G	O
Tumor Lysis Syndrome	30-60 minutes after	Decreased viral load	Sepsis	Neupogen (filgrastim)
Breastfeeding	Superior Vena Cava Syndrome	Pneumocystis Pneumonia (PCP)	30-60 minutes before	Raw fruits and vegetables
Spinal Cord Compression	Zofran (Ondansetron)	FREE	Antibiotics	HIPAA
Nausea and Vomiting	Skin irritation	Needle sticks	HAART	Plasma Cell
Epogen (erythropoeitin)	Blast cell	Prevent drug resistance	white patches on tongue	Decreased CD4 count

B	I	N	G	O
Zofran (Ondansetron)	30-60 minutes before	Sepsis	Breastfeeding	Pneumocystis Pneumonia (PCP)
Decreased viral load	white patches on tongue	Neupogen (filgrastim)	Blast cell	Raw fruits and vegetables
Nausea and Vomiting	Antibiotics	FREE	HIPAA	30-60 minutes after
HAART	Prevent drug resistance	Tumor Lysis Syndrome	Decreased CD4 count	Skin irritation
Needle sticks	Plasma Cell	Spinal Cord Compression	Superior Vena Cava Syndrome	Epogen (erythropoeitin)

B	I	N	G	O
Blast cell	Prevent drug resistance	30-60 minutes before	Plasma Cell	Antibiotics
Tumor Lysis Syndrome	Nausea and Vomiting	Needle sticks	Superior Vena Cava Syndrome	Neupogen (filgrastim)
Spinal Cord Compression	Decreased CD4 count	FREE	Skin irritation	HAART
Zofran (Ondansetron)	Raw fruits and vegetables	Sepsis	white patches on tongue	Decreased viral load
HIPAA	30-60 minutes after	Pneumocystis Pneumonia (PCP)	Breastfeeding	Epogen (erythropoeitin)