

B	I	N	G	O
Tumor Lysis Syndrome	30-60 minutes after	Decreased viral load	Raw fruits and vegetables	Neupogen (filgrastim)
Blast cell	Superior Vena Cava Syndrome	Pneumocystis Pneumonia (PCP)	30-60 minutes before	Spinal Cord Compression
Zofran (Ondansetron)	Antibiotics	FREE	HIPAA	Nausea and Vomiting
Skin irritation	Needle sticks	Prevent drug resistance	Epogen (erythropoeitin)	Plasma Cell
Antiretrovirals	Sepsis	Breastfeeding	white patches on tongue	Decreased CD4 count

B	I	N	G	O
Zofran (Ondansetron)	white patches on tongue	30-60 minutes before	Needle sticks	Blast cell
Raw fruits and vegetables	Nausea and Vomiting	Decreased viral load	Plasma Cell	Antibiotics
HIPAA	30-60 minutes after	FREE	Epogen (erythropoeitin)	Prevent drug resistance
Decreased CD4 count	Tumor Lysis Syndrome	Breastfeeding	Skin irritation	Antiretrovirals
Neupogen (filgrastim)	HAART	Spinal Cord Compression	Pneumocystis Pneumonia (PCP)	Superior Vena Cava Syndrome

B	I	N	G	O
Skin irritation	Epogen (erythropoeitin)	Zofran (Ondansetron)	Decreased CD4 count	Raw fruits and vegetables
Sepsis	Spinal Cord Compression	white patches on tongue	Needle sticks	Antibiotics
Prevent drug resistance	30-60 minutes before	FREE	HIPAA	Decreased viral load
HAART	Neupogen (filgrastim)	Antiretrovirals	30-60 minutes after	Tumor Lysis Syndrome
Superior Vena Cava Syndrome	Pneumocystis Pneumonia (PCP)	Nausea and Vomiting	Plasma Cell	Breastfeeding