

|                                    |                                  |                       |                                  |                                 |
|------------------------------------|----------------------------------|-----------------------|----------------------------------|---------------------------------|
| <b>*</b>                           | <b>E</b>                         | <b>M</b>              | <b>S</b>                         | <b>*</b>                        |
| Trauma<br>Code<br>EMS#_____        | Acute MI<br>EMS#_____            | 5150<br>EMS#_____     | CPAP<br>EMS#_____                | PSVT Hr<br>>150<br>EMS#_____    |
| Ingestion<br>EMS#_____             | Bradycardia<br>EMS<br>#_____     | Seizure<br>EMS#_____  | MCI<br>EMS#_____                 | Restraints<br>EMS#_____         |
| Airway<br>obstruction<br>EMS#_____ | Fentanyl<br>admin<br>EMS#_____   | Priority<br>5         | Bariatric<br>>500lb<br>EMS#_____ | Gun shot<br>wound<br>EMS#_____  |
| Pacing<br>EMS#_____                | Hypoglycemia<br><45<br>EMS#_____ | OPA/NPA<br>EMS#_____  | Rescue<br>EMS#_____              | Child<br>Delivery<br>EMS#_____  |
| CVA<br><3hours<br>EMS#_____        | KED admin<br>EMS#_____           | Asystole<br>EMS#_____ | Lift assist<br>EMS#_____         | Advanced<br>airway<br>EMS#_____ |

|                                  |                        |                                     |                                 |                                    |
|----------------------------------|------------------------|-------------------------------------|---------------------------------|------------------------------------|
| <b>*</b>                         | <b>E</b>               | <b>M</b>                            | <b>S</b>                        | <b>*</b>                           |
| Restraints<br>EMS#_____          | Asystole<br>EMS#_____  | Pacing<br>EMS#_____                 | Fentanyl<br>admin<br>EMS#_____  | Airway<br>obstruction<br>EMS#_____ |
| Gun shot<br>wound<br>EMS#_____   | Seizure<br>EMS#_____   | Acute MI<br>EMS#_____               | Trauma<br>Code<br>EMS#_____     | MCI<br>EMS#_____                   |
| PSVT Hr<br>>150<br>EMS#_____     | KED admin<br>EMS#_____ | <b>Priority<br/>5</b>               | Advanced<br>airway<br>EMS#_____ | Lift assist<br>EMS#_____           |
| Bradycardia<br>EMS<br>#_____     | CPAP<br>EMS#_____      | Needle<br>thoracostomy<br>EMS#_____ | V-fib/V-tach<br>EMS#_____       | Pacing<br>EMS#_____                |
| Bariatric<br>>500lb<br>EMS#_____ | OPA/NPA<br>EMS#_____   | 5150<br>EMS#_____                   | Ingestion<br>EMS#_____          | Stabbing<br>EMS#_____              |

|                        |                                  |                                |                                  |                                 |
|------------------------|----------------------------------|--------------------------------|----------------------------------|---------------------------------|
| <b>*</b>               | <b>E</b>                         | <b>M</b>                       | <b>S</b>                         | <b>*</b>                        |
| Asystole<br>EMS#_____  | Zofran<br>admin<br>EMS#_____     | V-fib/V-tach<br>EMS#_____      | Bradycardia<br>EMS<br>#_____     | Advanced<br>airway<br>EMS#_____ |
| Pacing<br>EMS#_____    | MCI<br>EMS#_____                 | C-spine<br>EMS#_____           | Acute MI<br>EMS#_____            | Trauma<br>Code<br>EMS#_____     |
| Ingestion<br>EMS#_____ | Bariatric<br>>500lb<br>EMS#_____ | <b>Priority<br/>5</b>          | PSVT Hr<br>>150<br>EMS#_____     | Gun shot<br>wound<br>EMS#_____  |
| CPAP<br>EMS#_____      | Lift assist<br>EMS#_____         | Fentanyl<br>admin<br>EMS#_____ | CVA<br><3hours<br>EMS#_____      | OPA/NPA<br>EMS#_____            |
| Stabbing<br>EMS#_____  | Burns<br>EMS#_____               | Pacing<br>EMS#_____            | Hypoglycemia<br><45<br>EMS#_____ | 5150<br>EMS#_____               |