

B	I	N	G	O
Window Period	15 minutes	1.2 million	Amniotic Fluid & Breast Milk	Opportunistic Infections
Department of Health	AIDS	Under 200 T-Cell Count	Human Immunodeficiency Virus	Abstinence
Only you and I	Third	FREE	500-1600 vs. under 200	Gay or Bi-Sexual Men
CD4 or T-Cells	Casual Contact	Pre-exposure PRophylaxis or PrEP	Decades	NO
Prevention Methods	Approximately 50 000	Approximately 27 000	Destroys the Immune System	Antibodies

B	I	N	G	O
500-1600 vs. under 200	8-11 years	Gay or Bi-Sexual Men	Department of Health	Decades
2 Weeks	Third	Opportunistic Infections	CD4 or T-Cells	Casual Contact
Under 200 T-Cell Count	15 minutes	FREE	Window Period	Destroys the Immune System
Chronic Infection	Abstinence	Antibodies	NO	World AIDS Day
Only you and I	Human Immunodeficiency Virus	Prevention Methods	AIDS	1.2 million

B	I	N	G	O
Decades	AIDS	Gay or Bi-Sexual Men	Unprotected sexual Intercourse	500-1600 vs. under 200
YES	World AIDS Day	Abstinence	2 Weeks	Opportunistic Infections
Human Immunodeficiency Virus	Amniotic Fluid & Breast Milk	FREE	15 minutes	Window Period
Department of Health	Only you and I	Casual Contact	CD4 or T-Cells	Approximately 27 000
NO	Prevention Methods	Chronic Infection	1.2 million	8-11 years