

W	O	U	N	D
Untreated Critical Limb Ischemia	>3 Prior Amputations	Duct Tape Used to Secure Dressing	Patient Washes Wound with Alcohol/H2O2	In-Office Glucose >400 mg/dL
Culture Grows >3 Organisms	Sharts in the Hyperbaric Chamber	Multiple Concurrent Wounds of Different Etiology	Accelerated Hypertension	Patient Performs Self Surgery
Sent from SNF with Sepsis	Vile Stench Permeates Entire Clinic	PANNUS PARTY	Allergic to >3 Classes of Antibiotics	Food Retained in Skin Fold
Has a MDRO; Brings Small Children to Appointment	Saline Wet to Dry TID	HgbA1c >9.0	Fatback as a Primary Dressing	Lets Animal Lick Wounds
Family Argument in Room	Complains about Not Healing; Frequently Misses Appts.	Paper Towels for Drainage Control	Wound Covered with a Plastic Bag	Debridement Requires Electrocautery

W	O	U	N	D
Vile Stench Permeates Entire Clinic	Accelerated Hypertension	Patient Washes Wound with Alcohol/H2O2	Culture Grows >3 Organisms	Multiple Concurrent Wounds of Different Etiology
Duct Tape Used to Secure Dressing	Wound Covered with a Plastic Bag	In-Office Glucose >400 mg/dL	Complains about Not Healing; Frequently Misses Appts.	Patient Performs Self Surgery
Has a MDRO; Brings Small Children to Appointment	Allergic to >3 Classes of Antibiotics	PANNUS PARTY	Food Retained in Skin Fold	>3 Prior Amputations
Fatback as a Primary Dressing	Paper Towels for Drainage Control	Untreated Critical Limb Ischemia	Debridement Requires Electrocautery	Saline Wet to Dry TID
HgbA1c >9.0	Lets Animal Lick Wounds	Sent from SNF with Sepsis	Sharts in the Hyperbaric Chamber	Family Argument in Room

W	O	U	N	D
Complains about Not Healing; Frequently Misses Appts.	Paper Towels for Drainage Control	Accelerated Hypertension	Lets Animal Lick Wounds	Allergic to >3 Classes of Antibiotics
Untreated Critical Limb Ischemia	Has a MDRO; Brings Small Children to Appointment	HgbA1c >9.0	Sharts in the Hyperbaric Chamber	In-Office Glucose >400 mg/dL
Sent from SNF with Sepsis	Debridement Requires Electrocautery	PANNUS PARTY	Saline Wet to Dry TID	Fatback as a Primary Dressing
Vile Stench Permeates Entire Clinic	Patient Performs Self Surgery	Patient Washes Wound with Alcohol/H2O2	Wound Covered with a Plastic Bag	Duct Tape Used to Secure Dressing
Food Retained in Skin Fold	>3 Prior Amputations	Multiple Concurrent Wounds of Different Etiology	Culture Grows >3 Organisms	Family Argument in Room