

|                              |                         |                     |                       |                        |
|------------------------------|-------------------------|---------------------|-----------------------|------------------------|
| <b>B</b>                     | <b>I</b>                | <b>N</b>            | <b>G</b>              | <b>O</b>               |
| TRANSFER<br>ASSIST<br>DEVICE | BLOODBORNE<br>PATHOGENS | FIRE<br>EXIT        | PPE                   | INSTRUMENT<br>CLEANING |
| EXPOSURE<br>CONTROL<br>PLAN  | SDS                     | MEDICATION<br>VIAL  | C DIFF                | NEEDLESTICK            |
| RESPIRATORY<br>PROTECTION    | VRE                     | FREE                | ELECTRICAL<br>SAFETY  | HAND<br>WASHING        |
| HEPATITIS<br>B<br>VACCINE    | RADIATION<br>SAFETY     | INJECTION<br>SAFETY | GLUTARALDEHYDE        | MASK                   |
| GHS                          | EMESIS<br>BASIN         | MRSA                | WORKPLACE<br>VIOLENCE | FALLS                  |

|                           |                       |                              |                             |                         |
|---------------------------|-----------------------|------------------------------|-----------------------------|-------------------------|
| <b>B</b>                  | <b>I</b>              | <b>N</b>                     | <b>G</b>                    | <b>O</b>                |
| VRE                       | C DIFF                | PPE                          | EXPOSURE<br>CONTROL<br>PLAN | MEDICATION<br>VIAL      |
| FIRE<br>EXIT              | WORKPLACE<br>VIOLENCE | INSTRUMENT<br>CLEANING       | EMESIS<br>BASIN             | NEEDLESTICK             |
| HEPATITIS<br>B<br>VACCINE | ELECTRICAL<br>SAFETY  | <b>FREE</b>                  | HAND<br>WASHING             | BLOODBORNE<br>PATHOGENS |
| GLUTARALDEHYDE            | MRSA                  | TRANSFER<br>ASSIST<br>DEVICE | FALLS                       | RADIATION<br>SAFETY     |
| INJECTION<br>SAFETY       | MASK                  | RESPIRATORY<br>PROTECTION    | SDS                         | GHS                     |

|                              |                           |                     |                             |                        |
|------------------------------|---------------------------|---------------------|-----------------------------|------------------------|
| <b>B</b>                     | <b>I</b>                  | <b>N</b>            | <b>G</b>                    | <b>O</b>               |
| EMESIS<br>BASIN              | MRSA                      | C DIFF              | MASK                        | ELECTRICAL<br>SAFETY   |
| TRANSFER<br>ASSIST<br>DEVICE | HEPATITIS<br>B<br>VACCINE | INJECTION<br>SAFETY | SDS                         | INSTRUMENT<br>CLEANING |
| RESPIRATORY<br>PROTECTION    | FALLS                     | FREE                | RADIATION<br>SAFETY         | GLUTARALDEHYDE         |
| VRE                          | NEEDLESTICK               | PPE                 | WORKPLACE<br>VIOLENCE       | FIRE<br>EXIT           |
| HAND<br>WASHING              | BLOODBORNE<br>PATHOGENS   | MEDICATION<br>VIAL  | EXPOSURE<br>CONTROL<br>PLAN | GHS                    |