

B	I	N	G	O
VAGINAL FLUIDS	10 YEARS	DESTROYS IMMUNE SYSTEM	TESTING AND COUNSELING	SEX
CD4 CELLS	UNPROTECTED SEX	SKIN	ACQUIRED IMMUNODEFICIENCY SYNDROME	STI
TUBERCULOSIS	VIRAL LOAD	FREE	AIDS	INTRAVENOUS DRUG USE
PRECAUTIONS	TRANSMISSION	RISK	HIV	SHARED NEEDLES
GONNORHEA	BREASTFEEDING	STD	WINDOW PERIOD	CONDOMS

B	I	N	G	O
VIRAL LOAD	ACQUIRED IMMUNODEFICIENCY SYNDROME	TESTING AND COUNSELING	CD4 CELLS	SKIN
DESTROYS IMMUNE SYSTEM	WINDOW PERIOD	SEX	BREASTFEEDING	STI
PRECAUTIONS	AIDS	FREE	INTRAVENOUS DRUG USE	10 YEARS
HIV	STD	VAGINAL FLUIDS	CONDOMS	TRANSMISSION
RISK	SHARED NEEDLES	TUBERCULOSIS	UNPROTECTED SEX	GONNORHEA

B	I	N	G	O
BREASTFEEDING	STD	ACQUIRED IMMUNODEFICIENCY SYNDROME	SHARED NEEDLES	AIDS
VAGINAL FLUIDS	PRECAUTIONS	RISK	UNPROTECTED SEX	SEX
TUBERCULOSIS	CONDOMS	FREE	TRANSMISSION	HIV
VIRAL LOAD	STI	TESTING AND COUNSELING	WINDOW PERIOD	DESTROYS IMMUNE SYSTEM
INTRAVENOUS DRUG USE	10 YEARS	SKIN	CD4 CELLS	GONNORHEA