

B	I	N	G	O
SENSORY-PERCEPTUAL ALTERATIONS	ALBUMIN	DIMINISHED MENTAL STATUS	PLATELET COUNT	IMPAIRED SKIN
ATRIAL FRIBRILLATION	SEIZURE S	LORAZEPAM	ALT	PATIENT/FAMILY FEAR OF DEATH
RISK FOR INFECTION	SEVERE LIVER DISEASE	FREE SPACE	ANXIETY/FEAR	FREQUENT TURNING
GLUCOSE	RISK FOR BLOOD CLOT	HEMATOCRIT	FALL RISK	INEFFECTIVE BREATHING PATTERN
ETHYL ALCOHOL WITHDRAWAL	AST	MORPHINE	WEAKNESS	COMFORT CARE

B	I	N	G	O
SEVERE LIVER DISEASE	ALT	PLATELET COUNT	ATRIAL FIBRILLATION	LORAZEPAM
DIMINISHED MENTAL STATUS	WEAKNESS	IMPAIRED SKIN	AST	PATIENT/FAMILY FEAR OF DEATH
GLUCOSE	ANXIETY/FEAR	FREE SPACE	FREQUENT TURNING	ALBUMIN
FALL RISK	MORPHINE	SENSORY-PERCEPTUAL ALTERATIONS	COMFORT CARE	RISK FOR BLOOD CLOT
HEMATOCRIT	INEFFECTIVE BREATHING PATTERN	RISK FOR INFECTION	SEIZURE S	ETHYL ALCOHOL WITHDRAWAL

B	I	N	G	O
AST	MORPHINE	ALT	INEFFECTIVE BREATHING PATTERN	ANXIETY/FEAR
SENSORY-PERCEPTUAL ALTERATIONS	GLUCOSE	HEMATOCRIT	SEIZURE S	IMPAIRED SKIN
RISK FOR INFECTION	COMFORT CARE	FREE SPACE	RISK FOR BLOOD CLOT	FALL RISK
SEVERE LIVER DISEASE	PATIENT/FAMILY FEAR OF DEATH	PLATELET COUNT	WEAKNESS	DIMINISHED MENTAL STATUS
FREQUENT TURNING	ALBUMIN	LORAZEPAM	ATRIAL FRIBRILLATION	ETHYL ALCOHOL WITHDRAWAL