

|                                 |                                |                   |                            |                           |
|---------------------------------|--------------------------------|-------------------|----------------------------|---------------------------|
| <b>B</b>                        | <b>I</b>                       | <b>N</b>          | <b>G</b>                   | <b>O</b>                  |
| TSW                             | 4.25 Million Seeds             | Good Weed Control | Reduced lodging            | L255PC                    |
| Establishment                   | Survivability                  | Moisture          | 5-7 plants/ft2             | Reduced Intra-competition |
| Space                           | Target Plant Population        | InVigor           | Efficient use of resources | InVigor Rate              |
| L233P                           | Reduced sclerotinia incidence  | L252              | Improved stress tolerance  | Light                     |
| Improved plant stand efficiency | Equipment set up & calibration | Nutrients         | Uniform Plant Structure    | Even Maturity             |

|                           |                            |                 |                                |                                 |
|---------------------------|----------------------------|-----------------|--------------------------------|---------------------------------|
| <b>B</b>                  | <b>I</b>                   | <b>N</b>        | <b>G</b>                       | <b>O</b>                        |
| Target Plant Population   | 5-7 plants/ft2             | Reduced lodging | Establishment                  | Moisture                        |
| Good Weed Control         | Uniform Plant Structure    | L255PC          | Equipment set up & calibration | Reduced Intra-competition       |
| L233P                     | Efficient use of resources | InVigor         | InVigor Rate                   | 4.25 Million Seeds              |
| Improved stress tolerance | Nutrients                  | TSW             | Even Maturity                  | Reduced sclerotinia incidence   |
| L252                      | Light                      | Space           | Survivability                  | Improved plant stand efficiency |

|                                      |                              |                    |                                     |                                          |
|--------------------------------------|------------------------------|--------------------|-------------------------------------|------------------------------------------|
| <b>B</b>                             | <b>I</b>                     | <b>N</b>           | <b>G</b>                            | <b>O</b>                                 |
| Equipment<br>set up &<br>calibration | Nutrients                    | 5-7<br>plants/ft2  | Light                               | Efficient<br>use of<br>resources         |
| TSW                                  | L233P                        | L252               | Survivability                       | L255PC                                   |
| Space                                | Even<br>Maturity             | InVigor            | Reduced<br>sclerotinia<br>incidence | Improved<br>stress<br>tolerance          |
| Target<br>Plant<br>Population        | Reduced<br>Intra-competition | Reduced<br>lodging | Uniform<br>Plant<br>Structure       | Good<br>Weed<br>Control                  |
| InVigor<br>Rate                      | 4.25<br>Million<br>Seeds     | Moisture           | Establishment                       | Improved<br>plant<br>stand<br>efficiency |