

B	I	N	G	O
Surgical V/S	2 patient identifiers	Code 1	Normal HR	Frequency of rounding
AC & HS	S in SAGE	G in SAGE	3333	NPO
Routine V/S	Weighing or is done on _____ & _____	NA ROCKS!	5 P's	Coughing when eating is a sign of
E in SAGE	Pt should have this device in reach at all times.	Foley care is done q shift to prevent	Code Red	Frequency of turning/ repositioning
Code 4	A in SAGE	Isolation for TB patient	sign of hypoglycemia/low blood sugar	Care Channel

B	I	N	G	O
Weighing or is done on _____ & _____	3333	Normal HR	AC & HS	G in SAGE
Code 1	sign of hypoglycemia/low blood sugar	Frequency of rounding	A in SAGE	NPO
E in SAGE	5 P's	NA ROCKS!	Coughing when eating is a sign of	2 patient identifiers
Code Red	Isolation for TB patient	Surgical V/S	Care Channel	Pt should have this device in reach at all times.
Foley care is done q shift to prevent	Frequency of turning/ repositioning	Routine V/S	S in SAGE	Code 4

B	I	N	G	O
A in SAGE	Isolation for TB patient	3333	Frequency of turning/ repositioning	5 P's
Surgical V/S	E in SAGE	Foley care is done q shift to prevent	S in SAGE	Frequency of rounding
Routine V/S	Care Channel	NA ROCKS!	Pt should have this device in reach at all times.	Code Red
Weighing or is done on _____ & _____	NPO	Normal HR	sign of hypoglycemia/low blood sugar	Code 1
Coughing when eating is a sign of	2 patient identifiers	G in SAGE	AC & HS	Code 4