

B	I	N	G	O
hypoxia	60% mortality	Fatigue	Severe Sepsis	Lactate
Decreased blood pressure	bloodstream	Sepsis Alert	750 000	Septic Shock
Temp below 36.0	tissue	Sepsis	Altered LOC	Hyperlactatemia
Increased heart rate	Temp above 38.3	Information	Gram & -	Physiological
Fever	Collaboration	Septic Organ Disfunction	vasopressors	Early prevention

B	I	N	G	O
tissue	750 000	Severe Sepsis	Decreased blood pressure	Sepsis Alert
Fatigue	vasopressors	Lactate	Collaboration	Septic Shock
Increased heart rate	Altered LOC	Sepsis	Hyperlactatemia	60% mortality
Gram & -	Septic Organ Dysfunction	hypoxia	Early prevention	Temp above 38.3
Information	Physiological	Temp below 36.0	bloodstream	Fever

B	I	N	G	O
Collaboration	Septic Organ Disfunction	750 000	Physiological	Altered LOC
hypoxia	Increased heart rate	Information	bloodstream	Lactate
Temp below 36.0	Early prevention	Sepsis	Temp above 38.3	Gram & -
tissue	Septic Shock	Severe Sepsis	vasopressors	Fatigue
Hyperlactatemia	60% mortality	Sepsis Alert	Decreased blood pressure	Fever