

speech and language delays or impairments	FASD is not genetic	FASD	different parts of the brain affected	ophthalmologist
language problems	all kinds of women	sleep and sucking problems as a baby	mental health professionals	FASD lifetime disability
nutritionist	problems with heart kidneys or bones	FREE	troubled relationships	abstain from alcohol
loving nurturing and stable home environment	hostile	all kinds of defects	impaired judgement	plastic surgeon
impulsivity	normal features	primary care provider	involvement in special education and social services	difficulty with memory

problems with heart kidneys or bones	hostile	difficulty with abstract concepts	lifetime effects	impaired judgement
difficulty controlling behavior	agitated	alcohol related neurodevelopmental disorder (ARND)	lonely	learning disabilities
involvement in special education and social services	absence of violence	FREE	alcohol related birth defects (ARBD)	ophthalmologist
hyperactive	sleep and sucking problems as a baby	troubled relationships	self-harm	FASD lifetime disability
loving nurturing and stable home environment	abstain from alcohol	all kinds of women	different parts of the brain affected	neurologist

vision or hearing problems	pediatrician	nutritionist	mental health professionals	preservation
agitated	alcohol related neurodevelopmental disorder (ARND)	no amount of alcohol is safe	learning disabilities	all kinds of women
normal features	lifetime effects	FREE	lonely	FASD is not genetic
fetal alcohol syndrome (FAS)	FASD	language problems	speech and language delays or impairments	alcohol related birth defects (ARBD)
withdrawn	weight issues	anxiety	abstain from alcohol	ophthalmologist