

B	I	N	G	O
Treponema pallidum	Bacterial infection	Don't have unprotected sex	Syphilis	Organ Damage
Brain damage	Treatment kills the syphilis bacteria	Secondary Stage	Benzathine penicillin	Stroke
Tertiary Stage	sores and rashes	FREE	Blood Born	Latent Stage
Likely to get HIV	Syphilis doesn't have a scientific name	Lymph nodes near groin are enlarged	It can reappear 10-30 years after infection	Primary Stage
Hair loss	Brain Inflammation	Sexual intercourse	swelling	Curable with early diagnosis

B	I	N	G	O
sores and rashes	Benzathine penicillin	Syphilis	Brain damage	Secondary Stage
Don't have unprotected sex	swelling	Organ Damage	Brain Inflammation	Stroke
Likely to get HIV	Blood Born	FREE	Latent Stage	Bacterial infection
It can reappear 10-30 years after infection	Sexual intercourse	Treponema pallidum	Curable with early diagnosis	Syphilis doesn't have a scientific name
Lymph nodes near groin are enlarged	Primary Stage	Tertiary Stage	Treatment kills the syphilis bacteria	Hair loss

B	I	N	G	O
Brain Inflammation	Sexual intercourse	Benzathine penicillin	Primary Stage	Blood Born
Treponema pallidum	Likely to get HIV	Lymph nodes near groin are enlarged	Treatment kills the syphilis bacteria	Organ Damage
Tertiary Stage	Curable with early diagnosis	FREE	Syphilis doesn't have a scientific name	It can reappear 10-30 years after infection
sores and rashes	Stroke	Syphilis	swelling	Don't have unprotected sex
Latent Stage	Bacterial infection	Secondary Stage	Brain damage	Hair loss