

|                                              |                      |                              |                    |                      |
|----------------------------------------------|----------------------|------------------------------|--------------------|----------------------|
| <b>B</b>                                     | <b>I</b>             | <b>N</b>                     | <b>G</b>           | <b>O</b>             |
| Unprotected<br>or Condom<br>less             | 10 years             | CD4<br>Cells                 | STI                | Mother               |
| Bacterial                                    | Tuberculosis         | PrEP                         | 3 to 6<br>months   | Transmission         |
| AIDS                                         | Flu Like<br>Symptoms | STD<br>FREE                  | Gay<br>Men         | Skin<br>Rashes/Bumps |
| HIV                                          | SEX                  | Destroys<br>Immune<br>System | Muscle<br>Soreness | Child                |
| Acquired<br>Immune<br>Deficiency<br>syndrome | Antibodies           | Polyurethane<br>or latex     | Bodily<br>Fluids   | Precautions          |

|                                     |                            |             |                   |                        |
|-------------------------------------|----------------------------|-------------|-------------------|------------------------|
| <b>B</b>                            | <b>I</b>                   | <b>N</b>    | <b>G</b>          | <b>O</b>               |
| Viral                               | Shared Injection Equipment | SEX         | PrEP              | Skin Rashes/Bumps      |
| Acquired Immune Deficiency syndrome | Antibodies                 | Precautions | Muscle Soreness   | Bacterial              |
| Polyurethane or latex               | 3 to 6 months              | STD FREE    | Flu Like Symptoms | 10 years               |
| Mother                              | Unprotected or Condom less | Water Base  | Bodily Fluids     | AIDS                   |
| STI                                 | Breastfeeding              | Gay Men     | CD4 Cells         | Destroys Immune System |

|                                  |                       |                            |                                                        |                          |
|----------------------------------|-----------------------|----------------------------|--------------------------------------------------------|--------------------------|
| <b>B</b>                         | <b>I</b>              | <b>N</b>                   | <b>G</b>                                               | <b>O</b>                 |
| Polyurethane<br>or latex         | <b>Bacterial</b>      | <b>SEX</b>                 | Precautions                                            | Breastfeeding            |
| 3 to 6<br>months                 | <b>Water<br/>Base</b> | <b>CD4<br/>Cells</b>       | <b>Viral</b>                                           | <b>United<br/>States</b> |
| <b>Bodily<br/>Fluids</b>         | Skin<br>Rashes/Bumps  | <b>STD<br/>FREE</b>        | <b>HIV</b>                                             | <b>STI</b>               |
| 10 years                         | Antibodies            | <b>Muscle<br/>Soreness</b> | <b>Gay<br/>Men</b>                                     | <b>Drugs</b>             |
| Unprotected<br>or Condom<br>less | <b>AIDS</b>           | Transmission               | <b>Acquired<br/>Immune<br/>Deficiency<br/>syndrome</b> | Tuberculosis             |