

Stage 1V - injury extends to muscle and bone	-ve pressure wound edges are drawn in	Macerated	Risk factors for poor wound health - obesity poor diet diabetes smoking age	PI Stage 1 - skin is intact recovery aim
Epithelium should be pink/mauve colour	Stage 111 - injury extends to the subcutaneous tissues	Poor quality granulation is grey/brown/red colour	Debridement	Stage 11 - injury to epidermis and dermis
Surgical wounds heal through inflammation proliferation epithelialisation maturation	Disposable paper ruler	Necrotic eschar	Necrotic slough	Stage 1 - injury in epidermis
Opsite/Mepore/Fixomull/Mefix suitable for surgical dressing	Pressure injuries have 6 classifications	Measure length on the Sagittal plane	PI Stage 2 - clean superficial partial thickness	Dressing left intact 3-5 days
Simple abrasion management includes Mepitel	Granulation	Transverse plane runs at 90 degrees to Sagittal plane	Hypergranulation	Measure width length on the transverse plane

Surgical wounds heal through inflammation proliferation epithelialisation maturation	Disposable paper ruler	Stage 11 - injury to epidermis and dermis	Debridement	Dressing left intact 3-5 days
Hypergranulation	Stage 1 - injury in epidermis	Necrotic eschar	PI Stage 1 - skin is intact recovery aim	Pressure injuries have 6 classifications
Epithelium should be pink/mauve colour	Macerated	Poor quality granulation is grey/brown/red colour	PI Stage 2 - clean superficial partial thickness	Stage 1V - injury extends to muscle and bone
Opsite/Mepore/Fixomull/Mefix suitable for surgical dressing	Granulation	Stage 111 - injury extends to the subcutaneous tissues	Measure length on the Sagittal plane	Risk factors for poor wound health - obesity poor diet diabetes smoking age
Simple abrasion management includes Mepitel	Transverse plane runs at 90 degrees to Sagittal plane	Measure width length on the transverse plane	-ve pressure wound edges are drawn in	Necrotic slough

Stage 1 - injury in epidermis	PI Stage 2 - clean superficial partial thickness	Granulation	Hypergranulation	Measure length on the Sagittal plane
Dressing left intact 3-5 days	Measure width length on the transverse plane	Epithelium should be pink/mauve colour	Necrotic eschar	Stage 1V - injury extends to muscle and bone
Opsite/Mepore/Fixomull/Mefix suitable for surgical dressing	Simple abrasion management includes Mepitel	Poor quality granulation is grey/brown/red colour	Disposable paper ruler	Stage 111 - injury extends to the subcutaneous tissues
Surgical wounds heal through inflammation proliferation epithelialisation maturation	Pressure injuries have 6 classifications	Transverse plane runs at 90 degrees to Sagittal plane	Debridement	-ve pressure wound edges are drawn in
Necrotic slough	Stage 11 - injury to epidermis and dermis	Risk factors for poor wound health - obesity poor diet diabetes smoking age	Macerated	PI Stage 1 - skin is intact recovery aim