

B	I	N	G	O
Weigh	1:1 patient	Crash cart location	Rounding Q 2	Isolation Precautions
Bomb Threat	Turning/ repositioning	Nectar thick	2 patient identifiers	R.A.C.E
Split hall	When to use gait belt	NAs ROCK	AC & HS	Fluid restrictions
Foley care is done	Sower sheets	Hand washing	Falls	NPO-color
Daily Care Guide	Abuse Coordinator	P.A.S.S	sign of hypoglycemia/low blood sugar	Coughing when eating is a sign of

B	I	N	G	O
When to use gait belt	2 patient identifiers	Rounding Q 2	Bomb Threat	Nectar thick
Crash cart location	sign of hypoglycemia/low blood sugar	Isolation Precautions	Abuse Coordinator	R.A.C.E
Foley care is done	AC & HS	NAs ROCK	Fluid restrictions	1:1 patient
Falls	P.A.S.S	Weigh	Coughing when eating is a sign of	Sower sheets
Hand washing	NPO-color	Split hall	Turning/ repositioning	Daily Care Guide

B	I	N	G	O
Abuse Coordinator	P.A.S.S	2 patient identifiers	NPO-color	AC & HS
Weigh	Foley care is done	Hand washing	Turning/ repositioning	Isolation Precautions
Split hall	Coughing when eating is a sign of	NAs ROCK	Sower sheets	Falls
When to use gait belt	R.A.C.E	Rounding Q 2	sign of hypoglycemia/low blood sugar	Crash cart location
Fluid restrictions	1:1 patient	Nectar thick	Bomb Threat	Daily Care Guide