

B	I	N	G	O
Thickend Liq	2 patient identifiers	Combative Pt with Dementia	R.A.C.E	Foley care is done
Bomb Threat	Split hall	Isolation Precautions	AC & HS	P.A.S.S
Sign of hypoglycemia/low Blood sugar	Turning/ repositioning	NAs ROCK	Abuse Coordinator	Daily Care Guide
Falls	Shower sheets	Fluid restrictions	Crash cart location	Hand Washing
Coughing when eating is a sign of	Active Shooter	NPO	When to use gait belt	Change of condition

B	I	N	G	O
Turning/ repositioning	AC & HS	R.A.C.E	Bomb Threat	Isolation Precautions
Combative Pt with Dementia	When to use gait belt	Foley care is done	Active Shooter	P.A.S.S
Falls	Abuse Coordinator	NAs ROCK	Daily Care Guide	2 patient identifiers
Crash cart location	NPO	Thickend Liq	Change of condition	Shower sheets
Fluid restrictions	Hand Washing	Sign of hypoglycemia/low Blood sugar	Split hall	Coughing when eating is a sign of

B	I	N	G	O
Active Shooter	NPO	AC & HS	Hand Washing	Abuse Coordinator
Thickend Liq	Falls	Fluid restrictions	Split hall	Foley care is done
Sign of hypoglycemia/low Blood sugar	Change of condition	NAs ROCK	Shower sheets	Crash cart location
Turning/ repositioning	P.A.S.S	R.A.C.E	When to use gait belt	Combative Pt with Dementia
Daily Care Guide	2 patient identifiers	Isolation Precautions	Bomb Threat	Coughing when eating is a sign of