

B	I	N	G	O
Team 1 Conference	Arjo transfer	Maxi Move	Puree Diet	PCS
Early Trays	Suppository then toilet after 30 minutes	Pelvic Restraint	BIMS	Stryker Bed
Team 2 Conference	CVA patient	FREE SPACE	Monday Weights	NPO
Sitter	Orthostatic Hypotenstion	Primary Care	Medication Schedule	Pain Reassessment
Diabetic Teaching	Pyxis	Fall Risk	Wound VAC every 3 days	Flex

B	I	N	G	O
Team 2 Conference	Wound VAC every 3 days	BIMS	Orthostatic Hypotenstion	Early Trays
Puree Diet	NPO	Maxi Move	Pain Reassessment	CVA patient
Monday Weights	Arjo transfer	FREE SPACE	Medication Schedule	Primary Care
Flex	Team 1 Conference	Fall Risk	Sitter	Diabetic Teaching
PCS	Meds Via Gtube	Stryker Bed	Pelvic Restraint	Suppository then toilet after 30 minutes

B	I	N	G	O
Sitter	Medication Schedule	Team 2 Conference	Flex	Puree Diet
Pyxis	Stryker Bed	Wound VAC every 3 days	Orthostatic Hypotension	CVA patient
Primary Care	BIMS	FREE SPACE	Monday Weights	Maxi Move
Meds Via Gtube	PCS	Diabetic Teaching	Arjo transfer	Team 1 Conference
Suppository then toilet after 30 minutes	Pelvic Restraint	NPO	Pain Reassessment	Fall Risk