

B	I	N	G	O
The most effective way to stop the spread of infection	1:1 suicide documentation	Care Channel	Pt should have this device in reach at all times.	Frequency of turning/ repositioning
A in SAGE	Surgical V/S	Isolation for TB patient	2 patient identifiers	Normal HR
S in SPRING	Weigh pt on _____ & _____	Cnas ROCK	3333	Coughing when eating is a sign of
Foley care is done q shift to prevent	Routine V/S	Frequency of rounding	Code 4	G in SAGE
Code 1	5 P's	NPO	sign of hypoglycemia/low blood sugar	AC & HS

B	I	N	G	O
Weigh pt on _____ & _____	2 patient identifiers	Pt should have this device in reach at all times.	A in SAGE	Isolation for TB patient
Care Channel	sign of hypoglycemia/low blood sugar	Frequency of turning/ repositioning	5 P's	Normal HR
Foley care is done q shift to prevent	3333	Cnas ROCK	Coughing when eating is a sign of	1:1 suicide documentation
Code 4	NPO	The most effective way to stop the spread of infection	AC & HS	Routine V/S
Frequency of rounding	G in SAGE	S in SPRING	Surgical V/S	Code 1

B	I	N	G	O
5 P's	NPO	2 patient identifiers	G in SAGE	3333
The most effective way to stop the spread of infection	Foley care is done q shift to prevent	Frequency of rounding	Surgical V/S	Frequency of turning/ repositioning
S in SPRING	AC & HS	Cnas ROCK	Routine V/S	Code 4
Weigh pt on _____ & _____	Normal HR	Pt should have this device in reach at all times.	sign of hypoglycemia/low blood sugar	Care Channel
Coughing when eating is a sign of	1:1 suicide documentation	Isolation for TB patient	A in SAGE	Code 1