

|                     |                  |                             |            |                    |
|---------------------|------------------|-----------------------------|------------|--------------------|
| <b>B</b>            | <b>I</b>         | <b>N</b>                    | <b>G</b>   | <b>O</b>           |
| social<br>inclusion | Anxiety          | Anger                       | Rage       | gloomy             |
| decompensation      | Insecure         | schizoaffective<br>disorder | empty      | Drug<br>Counseling |
| fragile             | rapid<br>cycling | <b>FREE</b>                 | stigma     | Group<br>Therapy   |
| emotional           | Trauma           | recovery                    | ambien     | manic<br>episode   |
| antisocial          | exposed          | anxiety                     | postpartum | Self-harming       |

|                 |                          |                          |               |                       |
|-----------------|--------------------------|--------------------------|---------------|-----------------------|
| <b>B</b>        | <b>I</b>                 | <b>N</b>                 | <b>G</b>      | <b>O</b>              |
| recovery        | Trauma                   | Self-Esteem              | dopamine      | ambien                |
| Self-Confidence | Group Therapy            | Impulse Control Disorder | emotional     | diet and exercise     |
| anxiety         | Emotional Abuse          | <b>FREE</b>              | Hostility     | healthy relationships |
| Therapy         | schizoaffective disorder | Drug Counseling          | stigma        | regular blood test    |
| DSM V           | gloomy                   | edgy                     | antipsychotic | Irritated             |

|                   |           |               |               |                       |
|-------------------|-----------|---------------|---------------|-----------------------|
| <b>B</b>          | <b>I</b>  | <b>N</b>      | <b>G</b>      | <b>O</b>              |
| SAD               | recovery  | exhausted     | suicide       | healthy relationships |
| fragile           | excluded  | manic episode | Group Therapy | Individual Therapy    |
| diet and exercise | Irritated | <b>FREE</b>   | exposed       | dopamine              |
| edgy              | Anxiety   | Therapy       | Anger         | decompensation        |
| Insecure          | serotonin | Hostility     | zoloft        | support               |