

B	I	N	G	O
clean up patient stool or urine	Accompanied by PD	Covid 19 swab	Pelvic exam	Lac Repair
Code Sepsis	Use language line	Level 2 trauma	Blood glucose < 40	Moderate sedation
Stroke alert	obtain EKG < 10 minutes	FREE	Blood glucose > 400	GI bleed
HgB < 8 and/or transfusion	STEMI	ICU patient	ETOH or OD pt.	Level 1 trauma
D/C home < 20 mins from DC order	Chest pain	Migraine Headache	obtain urine < 30 minutes	Code Stroke

B	I	N	G	O
obtain EKG < 10 minutes	Blood glucose < 40	Pelvic exam	Code Sepsis	Level 2 trauma
Covid 19 swab	obtain urine < 30 minutes	Lac Repair	Chest pain	Moderate sedation
HgB < 8 and/or transfusion	Blood glucose > 400	FREE	GI bleed	Accompanied by PD
ETOH or OD pt.	Migraine Headache	clean up patient stool or urine	Code Stroke	STEMI
ICU patient	Level 1 trauma	Stroke alert	Use language line	D/C home < 20 mins from DC order

B	I	N	G	O
Chest pain	Migraine Headache	Blood glucose < 40	Level 1 trauma	Blood glucose > 400
clean up patient stool or urine	HgB < 8 and/or transfusion	ICU patient	Use language line	Lac Repair
Stroke alert	Code Stroke	FREE	STEMI	ETOH or OD pt.
obtain EKG < 10 minutes	Moderate sedation	Pelvic exam	obtain urine < 30 minutes	Covid 19 swab
GI bleed	Accompanied by PD	Level 2 trauma	Code Sepsis	D/C home < 20 mins from DC order