



FASD Bingo

Bingo Instructions

Host Instructions:

- Decide when to start and select your goal(s)
- Designate a judge to announce events
- Cross off events from the list below when announced

Goals:

- First to get any line (up, down, left, right, diagonally)
- First to get any 2 lines
- First to get the four corners
- First to get two diagonal lines through the middle (an "X")
- First to get all squares (a "coverall")

Guest Instructions:

- Check off events on your card as the judge announces them
- If you satisfy a goal, announce "BINGO!". You've won!
- The judge decides in the case of disputes

This is an alphabetical list of all 70 events:

"class clown", FASD, FASD causes behavioral problems, FASD does not discriminate against race culture gender etc., FASD is not genetic, FASD lifetime disability, absence of violence, abstain from alcohol, agitated, alcohol (during pregnancy), alcohol consumption (during pregnancy), alcohol related birth defects (ARBD), alcohol related neurodevelopmental disorder (ARND), all kinds of defects, all kinds of women, anxiety, audiologist, awkward, communication challenges, compromised executive functioning, different parts of the brain affected, difficulty controlling behavior, difficulty with abstract concepts, difficulty with memory, dysmaturity, early diagnosis, elevated ego "know it all", endocrinologist, fetal alcohol spectrum disorder, fetal alcohol syndrome (FAS), gastroenterologist, hostile, hyperactive, impaired judgement, impulsivity, inability to generalize information, involvement in special education and social services, language problems, learning disabilities, lifetime effects, lonely, loving nurturing and stable home environment, mental health professionals, neurologist, never too late to quit drinking when pregnant, no amount of alcohol is safe, no amount of

alcohol is safe, no facial characteristics for the majority, normal features, nutritionist, occupational therapist, ophthalmologist, pediatrician, physical therapist, plastic surgeon, preservation, primary care provider, problems with heart kidneys or bones, pseudosophistication, self-harm, sensory systems dysfunctions, sleep and sucking problems as a baby, slow auditory pace, slow cognitive pace, speech and language delays or impairments, speech language pathologist, troubled relationships, vision or hearing problems, weight issues, withdrawn.



FASD Bingo Bingo Call Sheet

This is a randomized list of all 70 bingo events in square format that you can mark off in order, choose from randomly, or cut up to pull from a hat:



alcohol (during pregnancy)	hostile	audiologist	abstain from alcohol	no amount of alcohol is safe
preservation	vision or hearing problems	impulsivity	agitated	dysmaturity
primary care provider	withdrawn	mental health professionals	never too late to quit drinking when pregnant	impaired judgement
language problems	compromised executive functioning	lifetime effects	fetal alcohol syndrome (FAS)	alcohol related birth defects (ARBD)
inability to generalize information	FASD is not genetic	difficulty with abstract concepts	involvement in special education and social services	difficulty controlling behavior
alcohol related neurodevelopmental disorder (ARND)	difficulty with memory	absence of violence	normal features	communication challenges



FASD Bingo Bingo Call Sheet

This continues the randomized list of all 70 bingo events. The bingo squares are aligned on each page to allow for easier cutting.



FASD does not discriminate against race culture gender etc.	occupational therapist	no amount of alcohol is safe	weight issues	early diagnosis
self-harm	FASD lifetime disability	learning disabilities	fetal alcohol spectrum disorder	loving nurturing and stable home environment
speech and language delays or impairments	elevated ego "know it all"	all kinds of women	troubled relationships	pediatrician
pseudosophistication	neurologist	speech language pathologist	alcohol consumption (during pregnancy)	lonely
slow cognitive pace	nutritionist	all kinds of defects	physical therapist	sleep and sucking problems as a baby
anxiety	awkward	slow auditory pace	FASD	no facial characteristics for the majority



FASD Bingo Bingo Call Sheet

This continues the randomized list of all 70 bingo events. The bingo squares are aligned on each page to allow for easier cutting.



hyperactive	sensory systems dysfunctions	"class clown"	ophthalmologist	gastroenterologist
FASD causes behavioral problems	different parts of the brain affected	plastic surgeon	endocrinologist	problems with heart kidneys or bones

difficulty with abstract concepts	language problems	no amount of alcohol is safe	plastic surgeon	no amount of alcohol is safe
lonely	"class clown"	slow cognitive pace	fetal alcohol spectrum disorder	different parts of the brain affected
FASD is not genetic	FASD	FREE	FASD causes behavioral problems	preservation
troubled relationships	fetal alcohol syndrome (FAS)	primary care provider	hostile	self-harm
impaired judgement	alcohol (during pregnancy)	inability to generalize information	nutritionist	all kinds of women

This bingo card was created randomly from a total of 70 events.

"class clown", FASD, FASD causes behavioral problems, FASD does not discriminate against race culture gender etc., FASD is not genetic, FASD lifetime disability, absence of violence, abstain from alcohol, agitated, alcohol (during pregnancy), alcohol consumption (during pregnancy), alcohol related birth defects (ARBD), alcohol related neurodevelopmental disorder (ARND), all kinds of defects, all kinds of women, anxiety, audiologist, awkward, communication challenges, compromised executive functioning, different parts of the brain affected, difficulty controlling behavior, difficulty with abstract concepts, difficulty with memory, dysmaturity, early diagnosis, elevated ego "know it all", endocrinologist, fetal alcohol spectrum disorder, fetal alcohol syndrome (FAS), gastroenterologist, hostile, hyperactive, impaired judgement, impulsivity, inability to generalize information, involvement in special education and social services, language problems, learning disabilities, lifetime effects, lonely, loving nurturing and stable home environment, mental health professionals, neurologist, never too late to quit drinking when pregnant, no amount of alcohol is safe, no amount of alcohol is safe, no facial characteristics for the majority, normal features, nutritionist, occupational therapist, ophthalmologist, pediatrician, physical therapist, plastic surgeon, preservation, primary care provider, problems with heart kidneys or bones, pseudosophistication, self-harm, sensory systems dysfunctions, sleep and sucking problems as a baby, slow auditory pace, slow cognitive pace, speech and language delays or impairments, speech language pathologist, troubled relationships, vision or hearing problems, weight issues, withdrawn.

lifetime effects	troubled relationships	slow auditory pace	occupational therapist	primary care provider
difficulty with abstract concepts	no facial characteristics for the majority	compromised executive functioning	endocrinologist	physical therapist
slow cognitive pace	never too late to quit drinking when pregnant	FREE	impaired judgement	alcohol (during pregnancy)
lonely	involvement in special education and social services	preservation	plastic surgeon	learning disabilities
fetal alcohol spectrum disorder	elevated ego "know it all"	"class clown"	gastroenterologist	ophthalmologist

This bingo card was created randomly from a total of 70 events.

"class clown", FASD, FASD causes behavioral problems, FASD does not discriminate against race culture gender etc., FASD is not genetic, FASD lifetime disability, absence of violence, abstain from alcohol, agitated, alcohol (during pregnancy), alcohol consumption (during pregnancy), alcohol related birth defects (ARBD), alcohol related neurodevelopmental disorder (ARND), all kinds of defects, all kinds of women, anxiety, audiologist, awkward, communication challenges, compromised executive functioning, different parts of the brain affected, difficulty controlling behavior, difficulty with abstract concepts, difficulty with memory, dysmaturity, early diagnosis, elevated ego "know it all", endocrinologist, fetal alcohol spectrum disorder, fetal alcohol syndrome (FAS), gastroenterologist, hostile, hyperactive, impaired judgement, impulsivity, inability to generalize information, involvement in special education and social services, language problems, learning disabilities, lifetime effects, lonely, loving nurturing and stable home environment, mental health professionals, neurologist, never too late to quit drinking when pregnant, no amount of alcohol is safe, no amount of alcohol is safe, no facial characteristics for the majority, normal features, nutritionist, occupational therapist, ophthalmologist, pediatrician, physical therapist, plastic surgeon, preservation, primary care provider, problems with heart kidneys or bones, pseudosophistication, self-harm, sensory systems dysfunctions, sleep and sucking problems as a baby, slow auditory pace, slow cognitive pace, speech and language delays or impairments, speech language pathologist, troubled relationships, vision or hearing problems, weight issues, withdrawn.